

平成 25 年度 VBL の研究業績

学術論文

- 1) T. Hasegawa and S. Ishio, Magnetic phase diagram and crystalline structure of polycrystalline FeMnPt films, FeMnPt 多結晶薄膜の結晶構造と磁気相図, Journal of the society of materials engineering for resources of Japan (素材物性学雑誌) , Vol. 25, No. 1/2, pp. 5-12 (2013).
- 2) T. Hasegawa, Y. Kondo, H. Yamane, S. Nagamachi, and S. Ishio, Ferromagnetic-paramagnetic patterning of FePtRh films by Fe ion implantation, IEEE Trans. Magn., Vol. 49, No. 7, pp. 3604-3607 (2013).
- 3) T. Wang, Y. Wang, G. Tan, F. Li, S. Ishio, Microwave magnetic properties of the oriented CoIr soft magnetic film with negative magnetocrystalline anisotropy, Physica B: Condensed Matter, Vol. 417, pp. 24-27 (2013).
- 4) Z. J. Yan, S. Takahashi, T. Hasegawa, S. Ishio, Y. Kondo, J. Ariake, Towards an understanding of microstructure of patterned FePt dots by magnetometry using pulse fields, J. Magn. Magn. Mater., Vol. 349, pp. 5-8 (2014).
- 5) S. Ishio, S. Takahashi, T. Hasegawa, A. Arakawa, H. Sasaki, Z. Yan, X. Liu, Y. Kondo, H. Yamane, J. Ariake, M. Suzuki, N. Kawamura, M. Mizumaki, Switching field distribution and magnetization reversal process of FePt dot patterns, J. Magn. Magn. Mater. Vol. 360, pp. 205-210 (2014).
- 6) T. Hasegawa, T. Yamazaki, Y. Kondo, and S. Ishio, Fabrication of dot pattern using magnetic phase change on Pt ion-implanted L1₀ FePtRh film with high magnetocrystalline anisotropy, J. Appl. Phys., Vol. 115, No. 17, pp. 17B721-1-3 (2014)
- 7) 長谷川 崇, 石尾 俊二, フラット・パターニング法により作製した L1₀ FePtRh パターンにおけるナノスケール組成分布と磁気特性, 電子情報通信学会技術研究報告 ; 信学技報 (IEICE Technical Report) , Vol. 113, No. 102, pp. 27-31 (2013).
- 8) 柴田傑, 玉本英夫, 松本奈緒, 三浦武, 横山洋之, “学習者中心のインタラクティブ舞踊学習支援システムの開発,” 電子情報通信学会論文誌, 平成26年5月掲載決定
- 9) Miyano, Y., Fujii, H., Sun, Y. F., Katada Y., Kuroda, S., Kudou, G. and Kamiya, O. (2012) : Mechanical Properties of Friction Stir Welded High Nitrogen Containing Austenitic Stainless Steel, Proceedings of the 1st International Symposium on Joint Symposium on Joining and Welding, p. 95-100.
- 10) Miyano, Y., Honjo, K., Kamiya, O., Takahashi, M. and Kiuchi, M. (2012) :

New Bioassay to Evaluate the Minimum Antibacterial Mass of Metallic Copper Using Cu Thin Coating, Proceedings of the 7th International Conference on Material Engineering for Resources, p. 237-8.

- 11) Saito, A., Takahashi, M., Miyano, Y. and Kamiya, O. (2012) : Resource-saving Twisted Diamond Saw Wire (ADW) with High-speed Cutting Performance, Proceedings of the 7th International Conference on Material Engineering for Resources, p. 422-6.
- 12) Pasang, T., Miyano, Y., Tao, Y., Kamiya, O. and Kudo, G. (2012) : Research on Various Welding Methods on Titanium Alloys for Aircraft Applications: Collaboration between Akita University and AUT University, Proceedings of the 7th International Conference on Material Engineering for Resources, p. 77-81.
- 13) 藤井永人, 佐藤菜花, 原 基 (2013) : 溶融塩電析法によるYの含有深さを変えたNiアルミナイト表面層の作製とその耐サイクル酸化性, 日本金属学会誌, Vol. 77, No. 5, pp. 177-184.
- 14) 福本倫久, 力石 健, 杉田聖英, 原 基 (2013) : Hfを固溶させたNiAl表面層の作製と耐サイクル酸化性, 日本金属学会誌, Vol. 77, No. 6, pp. 218-224.
- 15) 3. 阿部拓平, 佐藤菜花, 福本倫久, 原 基(2013) : 溶融塩電析法によるTiAl上へのNiアルミナイト/NiおよびTiAl₃ 2層コーティングの作製と耐サイクル酸化性, 日本金属学会誌, Vol. 77, No. 6, pp. 245-252.
- 16) Masami Taguchi, Toshihiro Sasaki, and Hiroki Takahashi: Discharge-Charge Property of Lead-Acid Battery Using Nano-Scale PbO₂ as Cathode Active Material, Materials Transactions, Vol. 55, No. 2, pp. 327-333 (2014).
- 17) Hosoi, A., Takasaki, Y. and Shibayama, A. (2013) : Pressure Acid Leaching of Printed Circuit Board Waste and Selective Metal Recovery from Extracted Solution, *Journal of MMJ (The Mining and Materials Processing Institute of Japan)*, Vol. 129, No. 2, 3 p. 65-71 (in Japanese). (2013)
- 18) Shibayama, A., Tongamp, W., Altansukh, B., Haga, K. and Hosoi, A. (2013) : Electronic waste treatment: Part 1. Autoclave oxidation-leaching using pyrite waste from mine tailing, *Hydrometallurgy*, Vol. 137, p. 92-100. (2013)
- 19) Fumiaki Takasaki, Kazuhiko Fujiwara, Yasushi Nakajima, Taku Nishikawa and Nobuaki Ogawa, "Nanometer-sized Polynuclear Cluster and Oxide Nanocrystal Formation via Aging-condition-dependent Hydrolysis of Zirconium Oxychloride", *Chem. Lett.*, 43(2) p. 196-198 (2014).
- 20) 大川浩一, 斎藤知直: オイルサンドからのビチューメン分離回収における超音波の利用, ケミカルエンジニアリング, Vol. 59, No. 1, p. 79-83, (2014)

- 21) Manabu Yamada, Fumio Hamada, *CrystEngComm*, 15, 5703–57122 (2013).
- 22) Yoshihiko Kondo, Munkhtuya Ulzii, Shinichi Itoh, Manabu Yamada and Fumio Hamada, *Int. J. Soc. Mater. Eng. Resour.*, in press.
- 23) Muniyappan Rajiv Gandhi, Manabu Yamada, Yoshihiko Kondo, Ryo Sato and Fumio Hamada, *Int. Eng. Chem. Res.*, 53, 2559–2565 (2014).
- 24) Manabu Yamada, Ryo Kanazawa, Fumio Hamada, *CrystEngComm*, 16, 2605–2614 (2014).
- 25) Manabu Yamada, Muniyappan Rajiv Gandhi, Yoshihiko Kondo and Fumio Hamada, *Supramol. Chem.*, in press.
- 26) F. Zheng, S. Yasui, G. Egawa, Y. Kinoshita, S. Yoshimura, and H. Saito, “Fabrication of high-coercivity FePt–MgO tip and its application to AC magnetic field imaging of perpendicular magnetic writing head by alternating magnetic force microscopy (A-MFM)”, Proceedings of the 7th International Conference on Materials Engineering for Resources (ICMR 2013 AKITA), 2013, pp. 239–243 (2013).

書籍

- 1) 「シクロデキストリンの科学と技術」 濱田文男、近藤良彦 CMC 出版 (2013)
- 2) 齋藤 準:「ベクトル磁場検出・近接場磁気力顕微鏡の開発とその磁性材料・磁気デバイスへの応用」, THE HITACHI SCIENTIFIC INSTRUMENT NEWS, Vol. 57, No. 1, pp. 3–7 (2014).